

# Test View

Based on Nursing Home Compare - Quality Measures (Q3)

Provider Number	Nursing Home Name	Street
015014	EASTVIEW HEALTH CARE CENTER	7755 FOURTH AVENUE SOUTH

# Test View

Based on Nursing Home Compare - Quality Measures (Q3)

City	State	ZIP Code	Phone Number
BIRMINGHAM	AL	35206	(205) 833-0146

# Test View

Based on Nursing Home Compare - Quality Measures (Q3)

Percent of long-stay residents given influenza vaccination during the flu season

96%



# Test View

Based on Nursing Home Compare - Quality Measures (Q3)

Footnote-2

# Test View

Based on Nursing Home Compare - Quality Measures (Q3)

Percent of long-stay residents who were assessed and given pneumococcal  
vaccination

99%



# Test View

Based on Nursing Home Compare - Quality Measures (Q3)

Footnote-3

# Test View

Based on Nursing Home Compare - Quality Measures (Q3)

Percent of long-stay residents whose need for help with daily activities has increased

10%



# Test View

Based on Nursing Home Compare - Quality Measures (Q3)

Footnote-4



# Test View

Based on Nursing Home Compare - Quality Measures (Q3)

Percent of long-stay residents who have moderate to severe pain

0%

# Test View

Based on Nursing Home Compare - Quality Measures (Q3)

Footnote-5

# Test View

Based on Nursing Home Compare - Quality Measures (Q3)

Percent of high-risk long-stay residents who have pressure sores

17%



# Test View

Based on Nursing Home Compare - Quality Measures (Q3)

Footnote-6

# Test View

Based on Nursing Home Compare - Quality Measures (Q3)

Percent of low-risk long-stay residents who have pressure sores

2%



# Test View

Based on Nursing Home Compare - Quality Measures (Q3)

Footnote-7

# Test View

Based on Nursing Home Compare - Quality Measures (Q3)

Percent of long-stay residents who were physically restrained

0%

# Test View

Based on Nursing Home Compare - Quality Measures (Q3)

Footnote-8



# Test View

Based on Nursing Home Compare - Quality Measures (Q3)

Percent of long-stay residents who are more depressed or anxious

1%



# Test View

Based on Nursing Home Compare - Quality Measures (Q3)

Footnote-9

# Test View

Based on Nursing Home Compare - Quality Measures (Q3)

Percent of low-risk long-stay residents who lose control of their bowels or bladder

57%



# Test View

Based on Nursing Home Compare - Quality Measures (Q3)

Footnote-10

# Test View

Based on Nursing Home Compare - Quality Measures (Q3)

Percent of long-stay residents who have/had a catheter inserted and left in their bladder

4%



# Test View

Based on Nursing Home Compare - Quality Measures (Q3)

Footnote-11

# Test View

Based on Nursing Home Compare - Quality Measures (Q3)

Percent of long-stay residents who spend most of their time in bed or in a chair

8%



# Test View

Based on Nursing Home Compare - Quality Measures (Q3)

Footnote-12



# Test View

Based on Nursing Home Compare - Quality Measures (Q3)

Percent of long-stay residents whose ability to move about in and around their room  
got worse

6%



# Test View

Based on Nursing Home Compare - Quality Measures (Q3)

Footnote-13

# Test View

Based on Nursing Home Compare - Quality Measures (Q3)

Percent of long-stay residents who had a urinary tract infection

7%



# Test View

Based on Nursing Home Compare - Quality Measures (Q3)

Footnote-14

# Test View

Based on Nursing Home Compare - Quality Measures (Q3)

Percent of long-stay residents who lose too much weight

4%



# Test View

Based on Nursing Home Compare - Quality Measures (Q3)

Footnote-15

# Test View

Based on Nursing Home Compare - Quality Measures (Q3)

Percent of short-stay residents given influenza vaccination during the flu season

98%



# Test View

Based on Nursing Home Compare - Quality Measures (Q3)

Footnote-16



# Test View

Based on Nursing Home Compare - Quality Measures (Q3)

Percent of short-stay residents who were assessed and given pneumococcal  
vaccination

98%



# Test View

Based on Nursing Home Compare - Quality Measures (Q3)

Footnote-17

# Test View

Based on Nursing Home Compare - Quality Measures (Q3)

Percent of short-stay residents who have delirium

0%

# Test View

Based on Nursing Home Compare - Quality Measures (Q3)

Footnote-18

# Test View

Based on Nursing Home Compare - Quality Measures (Q3)

Percent of short-stay residents who had moderate to severe pain

4%



# Test View

Based on Nursing Home Compare - Quality Measures (Q3)

Footnote-19

# Test View

Based on Nursing Home Compare - Quality Measures (Q3)

Percent of short-stay residents who have pressure sores	Footnote
---	----------



22%